

कार्यालय निदेशक, राजस्थान पुलिस अकादमी, जयपुर।

क्रमांक:-व-15()आर.पी.ए./जन/CCTV/2024-25/4521


दिनांक:- 05/09/2024

खुली बोली आमंत्रण सूचना

अकादमी परिसर में सुरक्षा एवं निगरानी की दृष्टि के लिए सी.सी.टी.वी कैमरा मय आवश्यक उपकरण लगवाये जाने हेतु प्रस्तुत है, जिसके लिए दर संविदा की जानी है, जिसके लिए मोहरबन्द बोलियाँ आमन्त्रित की जाती हैं। बोली आमंत्रण सूचना राजस्थान सरकार के www.sppp.rajasthan.gov.in पोर्टल एवं विभागीय वेबसाइट www.rpa.rajasthan.gov.in पर देखी जा सकती हैं तथा इच्छुक निविदादाता द्वारा दिनांक 05.09.2024 से 18.09.2024 को दोपहर 12:00 बजे तक डाउनलोड कर दोपहर 1:00 बजे तक जमा करवा सकते हैं जिसके लिए निविदा फॉर्म शुल्क तथा बोली प्रतिभूती का डी.डी./बैंकर्स चैक (अनुसूचित बैंक द्वारा जारी) संलग्न करना होगा। -


क्र. सं.	उपापन की विषयवस्तु का संक्षिप्त वर्णन	उपापन की अनुमानित लागत (राशि रुपये में)	बोली प्रतिभूति राशि	बोली प्रपत्रों का मूल्य	तकनीकी बोली खोलने की तिथि एवं समय
1.	संस्था में सुरक्षा एवं निगरानी की दृष्टि के लिए सी.सी.टी.वी कैमरा लगाने हेतु। (स्पेशीकेशन परिशिष्ट-बी के अनुसार)	8.85 लाख	अनुमानित लागत की 2 प्रतिशत *	200/- रु.0 *	18.09.2024 दोपहर 12:00 बजे

संलग्न- बोली की शर्तें, वांछित तकनीकी योग्यता एवं वित्तीय प्रपत्र।


सहायक निदेशक (प्रशासन),
राजस्थान पुलिस अकादमी,
जयपुर।

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

- निजी सहायक, निदेशक, आर.पी.ए. जयपुर।
- निजी सहायक, अतिरिक्त निदेशक, आर.पी.ए. जयपुर।
- निदेशक सूचना एवं जन सम्पर्क निदेशालय राजस्थान जयपुर को 10 प्रतियों में भेजकर निवेदन है कि निविदा सूचना को तीन दिवस तक आवश्यक रूप से एक क्षेत्रीय स्तर के समाचार पत्र में प्रकाशित करावें एवं अखबार की दो प्रति इस कार्यालय में भिजवाया जाना सुनिश्चित करावें।
- समस्त महानिरीक्षक पुलिस रेंज को भेजकर निवेदन है कि आपके अधीनस्थ जिलों के ठेकेदारों को सूचित करने का श्रम करें।
- निजी सहायक, उप निदेशक एवं प्राचार्य, आर.पी.ए. जयपुर।
- लेखाधिकारी, राजस्थान पुलिस अकादमी, जयपुर।
- संचित निरीक्षक (प्रशासन/क्वार्टर मास्टर) राजस्थान पुलिस अकादमी, जयपुर।
- प्रोग्रामर, आर.पी.ए. जयपुर को भेजकर लेख है कि उपरोक्त निविदा sppp पोर्टल (www.sppp.rajasthan.gov.in) एवं www.rpa.rajasthan.gov.in वेबसाइट पर मय खुली निविदा सूचना, निविदा प्रारूप एवं शर्तों के अपलोड करवाना सुनिश्चित करावें।
- नोटिस बोर्ड, आर.पी.ए. जयपुर।



सहायक निदेशक (प्रशासन),
राजस्थान पुलिस अकादमी,
जयपुर।



अकादमी परिसर में सुस्खा एवं निगरानी की दृष्टि के लिए सी.सी.टी.वी कैमरा लगवाये जाने के लिए की जाने वाली दर संविदा हेतु बोलीदाता की योग्यताएं एवं सामान्य शर्तें :-


1. बोलीदाता को बोली की दिनांक से गत 03 वर्षों में राज्य सरकार अथवा उपापन संस्था द्वारा काली सूची में डाला/विवर्जित/अयोग्य घोषित नहीं होना चाहिए। Annexure-E(राशि रूपये 100/- के गैर न्यायिक मुद्रांक पत्र पर इस बाबत स्वयं हस्ताक्षरित शपथ पत्र प्रस्तुत करना होगा।)
2. राजस्थान में अवस्थित सूक्ष्म, लघु एवं मध्यम उद्योगों हेतु बोली प्रतिभूति राशि अनुमानित लागत की 0.50 प्रतिशत होगी एवं बोली प्रपत्र निर्धारित मूल्य के 50 प्रतिशत पर उपलब्ध कराए जाएंगे। उक्त के सम्बन्ध में बोलीदाता को सम्बन्धित वर्ग के पंजीकरण प्रमाण पत्र प्रस्तुत करना अनिवार्य होगा। उक्त के अभाव में छूट देय नहीं होगी।
3. बोलीदाता के पास 3 वित्तीय वर्षों 2021-22, 2022-23 व 2023-24 में राशि रूपयें 25.00 लाख का औसत टर्नओवर होना चाहिए। जिसकी पुष्टि हेतु तीन वित्तीय वर्ष 2021-22, 2022-23 व 2023-24 के सनदी लेखाकार द्वारा अंकेक्षित अन्तिम लेखों यथा व्यापार खाता/लाभ-हानि खाता/बैलेन्स सीट संलग्न करें अथवा सनदी लेखाकार द्वारा जारी टर्नओवर का प्रमाण-पत्र प्रस्तुत करें। सी.ए. के द्वारा जारी किये गये प्रमाण पत्र पर UDIN नम्बर अंकित हो। इसके अभाव में निविदा निरस्त कर दी जावेगी।
4. बोली दाता के पास आयकर पैन नम्बर होना आवश्यक है।(पैन कार्ड की स्व-सत्यापित छायाप्रति अपलोड करें।)
5. बोलीदाता को जी.एस.टी विभाग में पंजीकृत होना आवश्यक है। (GST रजिस्ट्रेशन की स्वप्रमाणित छायाप्रति अपलोड करें।)
6. बोली के साथ संलग्न अनुलग्नक A, B एवं D पर अनिवार्य रूप से हस्ताक्षर कर प्रस्तुत करने होंगे।
7. बोलीदाता के द्वारा अध्यतन जीएसटी आर 3 बी को संलग्न करना अनिवार्य है इसके अभाव में निविदा निरस्त हो जाएगी।
8. बोलीदाता द्वारा जिस कम्पनी के मॉडल हेतु दरें प्रस्तुत की जा रही है, उसका प्राधिकृत डीलर होना आवश्यक है। OEM द्वारा जारी प्राधिकृत डीलर होने का प्रमाण-पत्र/जो बोली की दिनांक तक वैध हो।

नोट :- उक्त तकनीकी योग्यताओं को पूर्ण करने एवं हस्ताक्षरित बोली प्रपत्र मय संलग्नक प्रस्तुत करने वाले बोलीदाताओं की ही वित्तीय बोलियाँ खोली जावेगी।




A. बोलीदाता को निर्देश :-

1. बोलियाँ ऑफलाइन माध्यम से एकल पद्धति (द्वि-भाग) तकनीकी बिड एवं वित्तीय बिड से प्राप्त की जावेगी। तकनीकी बिड में योग्य पाये गये बोलीदाताओं की ही वित्तीय बिड खोली जावेगी। तकनीकी बिड और वित्तीय बिड को अलग-अलग लिफाफों में रखा जायेगा यदि वित्तीय बिड को खुले रूप से तकनीकी बिड के साथ रखा गया तो निविदा निरस्त कर दी जावेगी। अतः दोनो बिड को अलग-अलग लिफाफों में रखा जाकर दोनो बिडों को एक तिसरे लिफाफे में रखा जाना चाहिए।
2. बोलीदाताओं को निर्धारित शुल्कों को तकनीकी बोली के साथ जमा कराना होगा। उक्त के अभाव में प्राप्त बोली पर विचार नहीं किया जावेगा।
3. सफल बोलीदाता/अनुबन्धकर्ता द्वारा अनुबन्ध को किसी अन्य फर्म को सबलेट नहीं किया जा सकेगा।
4. सशर्त बोलियाँ अस्वीकार्य होगी।
5. सफल बोलीदाता को बोली अधिस्वीकृति पत्र जारी होने के सात दिवस के भीतर उपापन लागत की 5 प्रतिशत CMSME of Rajasthan की दर से कार्य-सम्पादन प्रतिभूति राशि अनुसूचित **बैंक द्वारा जारी डी.डी./एफडीआर/बैंक गारण्टी (सीडीपीएसएम , आरपीए जयपुर के नाम से देय हो)** से जमा कराते हुए नियमानुसार राशि के नॉन-ज्यूडिशियल स्टाम्प पेपर पर स्वयं के व्यय पर अनुबन्ध करना होगा। उक्त के अभाव में जमा बोली प्रतिभूति राशि जब्त कर बोलीदाता के विरुद्ध नियमानुसार कार्रवाई की जा सकेगी। अनुबन्ध समाप्ति के पश्चात् कार्य सम्पादन प्रतिभूति राशि अनुबन्धकर्ता को लौटा दी जावेगी। इस पर कोई ब्याज देय नहीं होगा।
6. संविदा अवधि में सफल बोलीदाता एवं आरपीए के मध्य कोई विवाद उत्पन्न होता है तो निदेशक, आरपीए जयपुर का निर्णय अन्तिम होगा।
7. सभी प्रकार के कानूनी वाद जयपुर स्थित न्यायालयों में ही प्रस्तुत किये जा सकेंगे।
8. आरटीटी के नियम 2013 एवं अधिनियम 2012 एवं जीएफआर के तहत नियम लागू होंगे।



B. कार्य निष्पादन सम्बन्धी शर्तें :-

1. उपाप्त की जाने वाली सेवाओं हेतु दरें संलग्न वित्तीय प्रस्ताव में ही अंकित की जानी है। दरें, अंको एवं शब्दों में अंकित की जानी चाहिए। दरों में शब्दों एवं अंको के मध्य विसंगति होने की स्थिति में आरटीपीपी नियम 2013 के नियम 64 (ग) के अनुसार निर्णय लिया जावेगा।
2. कार्यादेश जारी तिथि से 7 दिवस में कार्य करना होगा परन्तु आपातकालीन परिस्थिति में कार्य समान दिवस को भी करवाए जाने हेतु निर्देशित किया जा सकता है, जिसकी पालना संवेदक को करनी अनिवार्य होगी। कार्य आदेशित समय पर पूर्ण नहीं करने पर सामान्य वित्तीय एवं लेखा नियमों के प्रावधान के अनुसार परिनिर्धारित नुकसानी संवेदक से वसूलनीय होगी।
3. अनुबन्धकर्ता द्वारा यदि आपूर्ति यथासमय नहीं की जाती है, अथवा अपूर्ण आपूर्ति की जाती है तो संवेदक की रिस्क एवं कोस्ट पर खुले बाजार से कार्य करवा लिया जावेगा तथा अन्तर राशि (यदि कोई हो) की वसूली संवेदक को देय राशि अथवा संवेदक द्वारा जमा कराई गई कार्य सम्पादन प्रतिभूति राशि में से कर ली जावेगी एवं अनुबन्ध को निरस्त किया जाकर प्रतिभूति राशि जब्त कर संवेदक को अयोग्य घोषित/काली सूची में डाला जा सकता है। उक्त के अतिरिक्त परिनिर्धारित
4. बोली खुलने के पश्चात् यदि कोई बोलीदाता उसके द्वारा प्रस्तुत की गयी दरों को वापस लेता है या अनुबन्ध पश्चात् कार्य प्रारम्भ नहीं करता है तो बोली प्रतिभूति/ कार्य-सम्पादन प्रतिभूति राशि (जैसी भी स्थिति हो) को जब्त कर बोलीदाता/संवेदक के विरुद्ध नियमानुसार कार्रवाई की जा सकती है।

The image shows three handwritten marks in black ink. On the left is a signature that appears to be 'S. B.'. In the center is a signature that appears to be 'A. W.'. On the right is a simple number '2'.

A. मूल्यांक कसौटी एवं अनुबन्ध योग्यता निर्धारण प्रक्रिया :-

1. सर्वप्रथम बोलीदाताओं की तकनीकी विड समिति द्वारा खोली जावेगी। तकनीकी विड में सफल पाये गये बोलीदाताओं की ही वित्तीय विड खोली जावेगी। बोलीदाताओं द्वारा "वित्तीय प्रस्ताव" में प्रस्तुत दरों के आधार पर न्यूनतम दरदाता का निर्धारण किया जावेगा।
2. राजस्थान लोक उपापन में पारदर्शिता अधिनियम-2012 व नियम-2013 में वर्णित प्रक्रिया अनुसार बोलीदाताओं से बातचीत भी की जा सकती है।
3. "वित्तीय प्रस्ताव" में वर्णित मात्रा अनुमानात्मक है अकादमी में कार्य की आवश्यकता के दृष्टिगत इनमें कमी अथवा नियमानुसार वृद्धि की जा सकती है, जिसके लिए स्वीकृत दरों से भुगतान किया जावेगा। न्यूनतम मात्रा के उपापन की कोई गारन्टी नहीं होगी।
4. यह आवश्यक नहीं है कि एक ही बोलीदाता से अनुबन्ध किया जावे, अकादमी आवश्यकता के आधार पर एक से अधिक बोलीदाताओं से समान दरों पर अनुबन्ध कर सकती है।
5. बोलीदाता द्वारा किसी भी प्रकार का प्रभार (यदि लागू हो) तो पृथक-पृथक दर्शाया जावे। प्रभार पृथक से नहीं दर्शाये जाने पर प्रस्तुत दरें समस्त प्रभारों सहित मानी जाएगी। नियमानुसार जी. एस. टी. राशि (यदि लागू हो) का भुगतान पृथक से देय होगा।
6. अत्यन्त अव्यवहारिक दरें प्राप्त होने की दशा में यह आवश्यक नहीं है कि न्यूनतम दर वाले बोलीदाताओं की दरों को स्वीकार किया जावे। सक्षम समिति स्वविवेक के आधार पर न्यूनतम से इतर अन्य बोलीदाता की दरें भी स्वीकार कर सकती है।



B. अन्य शर्तें/अनुदेश :-

1. निदेशक, आरपीए द्वारा अनुबन्ध की अवधि के दौरान किसी भी कारण से अवगत कराते हुये या बिना कारण अवगत कराये 30 दिवस का नोटिस देकर अनुबन्ध को समाप्त किया जा सकता है। इस सम्बन्ध में बोलीदाता को किसी प्रकार का हर्जा-खर्चा नहीं दिया जायेगा।
2. बोलीदाता द्वारा किसी शर्त का उल्लंघन करने पर अथवा योग्यता नहीं रखने पर बोली निरस्त/अनुबन्ध समाप्त करने की कार्यवाही की जा सकती है।
3. बोली पूर्व स्पष्टीकरण के सम्बन्ध में किसी भी प्रकार की जानकारी/स्पष्टीकरण अकादमी जयपुर (सामान्य शाखा) एवं बोली प्रपत्र मे किसी प्रकार का परिवर्तन Portal पर प्रदर्शित कर दिया जावेगा। (नियम 46 एवं 47 अनुसार)
4. बोलीदाताओं को राजस्थान लोक उपापन मे पारदर्शिता अधिनियम-2012 एवं नियम 2013 में वर्णित प्रावधानों के अनुसार सत्यनिष्ठा संहिता की पालना किया जाना अनिवार्य होगा।
5. राजस्थान लोक उपापन मे पारदर्शिता अधिनियम-2013 की धारा-38 के तहत कोई भी बोलीदाता अथवा भावी बोलीदाता जिसे यह प्रतीत होता है, कि इस बोली का कोई प्रावधान या कृत्य इस अधिनियम के प्रतिकूल है, तो वह प्रथम अपील अधिकारी **उप महानिरीक्षक पुलिस एवं अतिरिक्त निदेशक आरपीए, जयपुर** के समक्ष अपील कर सकता है। साथ ही समान उद्देश्य (अपील) के लिए प्रावधान अनुसार द्वितीय अपील अधिकारी निदेशक, आरपीए जयपुर के समक्ष अपील कर सकता है (अनुलग्नक "स")। प्रथम एवं द्वितीय अपील अधिकारी के समक्ष अपील करने हेतु निर्धारित शुल्क क्रमशः राशि रूपये 2500/- एवं राशि रूपये 10000/- निर्धारित है, जो अपीलकर्ता को अपील के साथ बैंक ड्राफ्ट के रूप में (जो निदेशक, आरपीए जयपुर के नाम देय हो) संलग्न करनी होगी। अपील के साथ जमा कराई जाने वाली फीस अप्रतिदाय होगी।
6. किसी भी बोलीदाता द्वारा राजस्थान लोक उपापन में पारदर्शिता नियम-2013 के नियम 81 (3) में वर्णित हित का विरोध की स्थिति में नहीं होना चाहिए।
7. राजस्थान उपापन में पारदर्शिता अधिनियम-2012 एवं नियम-2013, सामान्य वित्तीय एवं लेखा नियम में वर्णित प्रावधान एवं राज्य सरकार द्वारा समय-समय पर जारी किये जाने वाले दिशा-निर्देश/आदेश जो इस बोली हेतु प्रासंगिक हो अकादमी एवं सफल बोलीदाता द्वारा मान्य एवं बाध्यकारी होंगे।

बोलीदाता के हस्ताक्षर


फर्म का नाम व पता:-.....
.....



Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall –

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit any fact that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.



Conflict of Interest :-

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to :
- a. Have controlling partners/ shareholders in common; or
 - b. Receive or have received any direct or indirect subsidy from any of them; or
 - c. Have the same legal representative for purposes of the Bid ;or
 - d. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
 - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
 - f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
 - g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Date :

Signature of bidder

Place :

Name :

Designation :

Address :



Annexure B : Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted to for procurement of in response to the Notice Inviting Bid No..... DatedI/we hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence as is required by the Bidding Document issued by the Procuring Entity;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statement or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings ;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Place :

Signature of bidder

Name :

Designation :

Address :



Annexure C : Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is

The designation and address of the Second Appellate Authority is

(1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to the First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved :

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings.


Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to the Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely :-

- (a) Determination of need of procurement.
- (b) Provisions limiting participation of Bidders in the Bid process.
- (c) The decision of whether or not to enter into negotiations.
- (d) Cancellation of a procurement process.



(e) Applicability of the provisions of confidentiality.

(f)

(5) Form of Appeal

(a) An appeal under para (1) or (3) above shall be in the annexed Form along with as many copies as the number of are respondents in the appeal.

(b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

(c) Every appeal may be presented to the First or Second appellate Authority, as the case may be, in person or through registered post or authorised representative.

(6) Fee for filing appeal

(a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal it shall be rupees ten thousand, and this shall be non-refundable.

(b) The fee shall be paid in the form of bank demand draft or bankers cheque of a Scheduled Bank in India payable in the name of concerned Appellate Authority.

(7) Procedure for disposal of appeal

(a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.

(b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall –

(i) hear all the parties to appeal present before him: and

(ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.

(c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of this order to the parties to appeal, free of cost.

(d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Form No.1

(See rule 83)

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement

Act, 2012

Appeal No.....of.....

Before the(First/ Second Appellate Authority)

1. Particulars of appellant :
 - (i) Name of the appellant :
 - (ii) Official address, if any :
 - (iii) Residential address :
 2. Name and address of the respondent (s):
 - (i)
 - (ii)
 - (iii)
 3. Number and date of the order appealed against and name and designation of the officer/ authority who passed the order (enclose a copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved :
 4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative :
 5. Number of affidavits and documents enclosed with the appeal :
 6. Grounds of appeal

.....

.....

.....(Supported by an affidavit)
 7. Prayer :.....
-
-
- Place
- Date

Appellants Signature

Annexure D: additional conditions of contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial bids on the following basis:

- I. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price. In which case the total price as quoted shall govern and the unit price shall be corrected:
- II. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected and

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, a star-like mark, and several other initials.

III. If there is discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be expected.

2. Correction of arithmetical errors

(i) At the time of award of contract, the quantity of goods, works or Services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the condition of contract.

(ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.

(iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of the Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.

3. Dividing quantities among more than one Bidder at time of award (In case of procurement of Goods)

As general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However When it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical aid vial nature. In such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the-second lower Bidder or even more Bidder, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

परिशिष्ट "व"
राजस्थान जयपुर
बोलीदाताओं द्वारा घोषणा

शपथ पत्र (100/- रुपये के गैर मुद्रांक)

मैं,

यह है कि गेरी फर्म एवं गेरी फर्म का प्रबन्धक किसी भी अपराधिक प्रवृत्ति में लिप्त नहीं है और न ही किसी भी राजकीय विभाग/अन्वेषणकारी संस्था द्वारा पूर्व में ब्लोक लिस्टेड/अमानत राशि जब्त कर निष्काशित किया गया है।

बोलीदाता के हस्ताक्षर
गय मोहर

पूर्ण पता

टेलीफोन नं.



परिशिष्ट-ए

राजस्थान पुलिस अकादमी, जयपुर परिसर में विभिन्न स्थानों पर सी.सी.टी.वी. कैमरे मय आवश्यक उपकरण लगाने हेतु वित्तीय प्रस्ताव

SN	Item	Qty.	दर	ईकाई	कुल लागत
1	4 MP IP bullet camera(with night vision and Support Human and Vehicle Detection)	25 नग		नग	
2	Hard disk 8 TB for Recording	2 नग		नग	
2	12F Armoured Fiber Cable	2000 नग		फिट	
3	Cat-6 Cable Armoured	2000 नग		फिट	
4	Poe Switch 4 port with uplink port	15 नग		नग	
5	Media Converter 10/100/1000	32 नग		नग	
6	Patch Card SC- SC LC- LC Duplex Mode	30 नग		नग	
7	Wall Mount Rack 6 U With PDU	20 नग		नग	
8	RJ-45 Connector box	1 नग		नग	
9	GI Pipe With Rack	5 नग		नग	
10	Conduit pipe and PLB(20mm)	500 नग		नग	
11	Installation (camera POLE, Rack, Fiber, Fiber Splicing)				
12	Digging and Fiber underground with PLB Pipe	2200 नग		फिट	
13	UPS	15 नग		नग	

- नोट:- 1. जी.एस.टी. (यदि लागू हो) का भुगतान पृथक से देय होगा।
2. उक्त दरों में 1 वर्ष की अवधि हेतु रख-रखाव भी सम्मिलित है।

बोलीदाता के हस्ताक्षर
मय मोहर





सी.सी.टी.वी कैमरा
Specifications/Quantity

1- Camera

- Image Sensor 1/3" Progressive Scan CMOS
- Min. Illumination Color: 0.028 Lux @ (F2.0, AGC ON)
- Shutter Speed 1/3 s to 1/100,000 s
- Slow Shutter Yes
- Day & Night IR Cut Filter
- Wide Dynamic Range Digital WDR
- Angle Adjustment Pan: 0° to 360°, tilt: 0° to 180°, rotate: 0° to 360°

• Lens

- Lens Fixed lens, 2.8/4 mm
- Aperture F2.0
- FOV

2.8 mm, horizontal FOV 100°, vertical FOV 55°, diagonal FOV 117°

4 mm, horizontal FOV 77°, vertical FOV 42°, diagonal FOV 88°

- Lens Mount M12

• Illuminator

- IR Range Up to 30 m
- Wavelength 850nm

• Video

- Max. Resolution 2560 × 1440
- Main Stream

50Hz: 20fps (2560 × 1440, 2304 × 1296, 1920 × 1080, 1280 × 720)

60Hz: 20fps (2560 × 1440, 2304 × 1296, 1920 × 1080, 1280 × 720)

• Sub Stream

50Hz: 20fps (640 × 480, 640 × 360, 320 × 240)

60Hz: 20fps (640 × 480, 640 × 360, 320 × 240)

- **Video Compression**

Main stream: H.265+/H.264+/H.265/H.264

Sub-stream: H.265/H.264/MJPEG

- H.264 TypeBaseline Profile/Main Profile
- H.265 TypeMain Profile
- Video Bit Rate 32 Kbps to 8 Mbps

- **Smart Feature-Set**

- Basic Event Motion detection, video tampering alarm, exception (illegal login)
- Region of Interest 1 fixed region for main stream
- Linkage Method Upload to FTP, notify surveillance center, send email

- **Image**

- Image Enhancement BLC, HLC, 3D DNR
- Image Setting Saturation, brightness, contrast, sharpness, AGC and white balance adjustable by client software or web browser
- Day/Night Switch Day/Night/Auto/Schedule
- SNR > 50dB

- **Network**

- Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, NTP, UPnP, SMTP, IGMP, 802.1X, QoS, IPv6, UDP, Bonjour
- API ONVIF (PROFILE S), ISAPI, SDK
- Security Password protection, complicated password, IP address filter, Watermark, HTTPS encryption, basic and digest authentication for HTTP/HTTPS, WSSE and digest authentication for ONVIF, 802.1X authentication (EAP-MD5)
- Simultaneous Live View Up to 6 channels
- User/Host Up to 32 users, 3 levels: Administrator, Operator and User
- Client iVMS-4200, Hik-Connect, Hik-Central
- Web Browser IE8+, Chrome 41.0-44, Firefox 30.0-51, Safari 8.0-11


- **Interface**

- Communication Interface 1 RJ45 10M/100M self-adaptive Ethernet port

- **Approval**

- EMC 47 CFR Part 15, Subpart B; EN 55032: 2015, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 50130-4: 2011 + A1: 2014; AS/NZS CISPR 32: 2015; ICES-003: Issue 6, 2016; KN 32: 2015, KN 35: 2015
- Safety UL 60950-1, IEC 60950-1:2005 + Am 1:2009 + Am 2:2013, EN 60950-1:2005 + Am 1:2009 + Am 2:2013, IS 13252(Part 1):2010+A1:2013+A2:2015, IEC/EN 60950-1
- Chemistry 2011/65/EU, 2012/19/EU, Regulation (EC) No 1907/2006
- Protection Ingress protection: IP67 (IEC 60529-2013)

- **General**



- **General Function** Anti-flicker, heartbeat, mirror, privacy mask
- **Reset** Reset via web browser and client software
- **Startup and Operating Conditions** -30 °C to +60 °C (-22 °F to +140 °F), Humidity 95% or less (non-condensing)
- **Storage Conditions** -30 °C to 60 °C (-22 °F to 140 °F), humidity 95% or less (non-condensing)
- **Power Supply** 12 VDC \pm 25%, Φ 5.5 mm coaxial power plug, reverse polarity protection; PoE (802.3af, class 3)
- **Power Consumption and Current** 12 VDC, 0.35 A, max. 4.2 W; PoE (802.3af, 36 V to 57 V), 0.2 A to 0.1 A, max. 4.2 W
- **Material** Front cover: metal, back cover: plastic
- **Dimensions**

Camera: 66.2 mm \times 67.8 mm \times 177.6 mm (2.6" \times 2.7" \times 7")

With package: 216 \times 121 \times 118 mm (8.5 \times 4.8" \times 4.6")

2- Hard disk

Features

Engineered for advanced AI-enabled recorders, video analytics appliances, deep-learning servers, and cloud-based storage, including RAID and JBOD

Designed with tarnish-resistant components for harsh environments and with additional robustness for multi-bay enclosures

Supports up to 550TB/yr workload rate

Capacity - 8TB

Form Factor - 3.5-Inch

Connector - SATA

Compatibility

Up to 64 single-stream cameras

Interface - SATA

Transfer Rate - up to 267MB/s

Disk Speed (RPM) - 7200 RPM

Recording Technology - CMR

Cache Size - 256MB

Warranty - 5-Year Limited Warranty

Dimensions (L x W x H) - 147mm \times 101.6mm \times 26.1mm

Weight - 715gms



राजस्थान पुलिस अकादमी नेहरू नगर, जयपुर

www.rpa.rajasthan.gov.in

Model Number - WD8002PURP

Operating Temperature -0°C to 65°C

Non-Operating Temperature --40°C to 70°C

Certifications

BSMI, ICES-003/NMB-003, CE, FCC, KC, Maghreb, RCM, UKCA, VCCI, CB-Scheme, TUV, UL

3-OFC

The OEM for Passive cable and component should be ISO 9001 and 14001 certified for Quality products

The cable and component comes under 25 Year Site performance warranty after Authentication from expert engineer form OEM

6 core Fibre with Central Loose tube with jelly compound, Nominal Corrugated Steel Tape Armouring, suitable load Indoor / Outdoor (duct) Local Area network system. With excellent water proof layer & good moisture resistance, crush resistant performance, light weight, Compact structure.

Standards:-ISO : 11801 , IEC : 60793-1/60794-1-2, ITU-T : REC G.652D

Telcordia : GR-20 Core

Outer diameter 9.3 +/- 0.3 mm,

Fibre - type & Refractive Index:- 9/125 / G.652D /1.4674/1.4679

Wavelength :-1310 ,

4- CAT-6Cable

CAT-6 UTP Outdoor Cable Armored

Category 6 Unshielded Twisted Pair 4 pair 100W cable shall be compliant with ANSI/TIA/EIA-568-C.2 Additional Transmission Performance Specifications for 4-pair 100W

Category 6 UTP cables shall extend between the work area location and its associated telecommunications closet and consist of 4 pair, 23 AWG, UTP.

All Category 6 cables shall meet or exceed the following characteristics:

Construction: 4 twisted pairs separated by internal X shaped, 4 channel, polymer spine / full separator. Half shall not be accepted.

Conductor Double Shielded Cable

Insulation :High Density Polyethylene Jacket FR

Outer Diameter 6.1 mm nominal

Temperature Range -20° to +70°C